



# BRAZZEN

LIVESTOCK EQUIPMENT

2024

[www.brazzen.com](http://www.brazzen.com)



# Contact & Sales

---

## HEAD OFFICE

**Tel (435) 901-5404**

1145 South 800 East  
Suite 138  
Orem, UT 84097  
cam@brazen.com

**[www.brazen.com](http://www.brazen.com)**

# Product Index

The specifications are subject to change without prior notice.

## Cattle 3-19

Head Catcher _____	3
Hobby Chute _____	3
Sliding Gate _____	3
Premium Full Squeeze Chute _____	4
Cattle Ramps _____	5-7
Cattle Grid _____	8
Alley Gate _____	8
Bud Box Yard _____	9
Panels _____	10-11
Walkway Kit _____	11
Alley Bows _____	13
Driveway Gates _____	14
Cattle Gates _____	15-16
Combo Gates/Panels _____	17
Blind Sweep Yard _____	18
Combo Panel & Gate _____	19

## Sheep 20-25

V 3 Way Draft _____	20
Alley Bow _____	20
Panels _____	20
Gates _____	21
Budget Panels & Gates _____	23
Blind Panels _____	23
Alley Gates & Alley _____	24-25
Loading Ramp _____	25

## Pig/Goat 26

Pig Panels & Gates _____	26
Goat Panels & Gates _____	26

## Horses 27-29

Shelters _____	27
Panels & Gates _____	28-29

## Feeders 30-33

Round Bale Feeders _____	30
Square Bale Feeders _____	30
Line Feeders _____	30
Diagonal Feeder _____	31
Cradle Feeder _____	31
AU Round Hay Feeder _____	31
Horse Hay Feeder _____	32
Cradle Feeder _____	32
UK Feeder _____	32
Lick Feeder _____	33
Hanging Feeder _____	33
Trolley Feeder _____	33

## Dogs 34

Dog Cages _____	34
-----------------	----



# We see different prices all over the USA for cattle panels.

## Why is this?

## What to look out for?



**BRAZZEN, OVER THE YEARS HAS BECOME A DOMINANT PLAYER IN THE LIVESTOCK EQUIPMENT INDUSTRY.**

- 1 Many panel weights are very light due to the gauges, the steel rails and posts are very thin. 0.043in is now becoming the norm in cheap panels now. They dent like an Aluminium can. Brazen Panels are all oval rails 0.059in thick and the posts are 0.067mm. The standard panels are 79lb in total weight.
- 2 Some cattle panels will have 5 rails instead of 6 rails to save money. This is an old trick.
- 3 Some cattle panels have 2.36inx1.18in oval rails and 1.57inx1.57in posts.
- 4 Brazen Cattle panels have 2.76inx1.57in oval rails and 1.97inx1.97in Posts. Many panels go with the half pin cleat instead of the full C cleat. Brazen has the full C cleats on both sides and also has rubber in the cleat holes to stop the rattling noise of the pins.



**BE BRAZEN  
BUY BRAZZEN**

- 5 Most panels have a very low galvanized coating (Pre-gal) as low as 20grams per square meter of Galvanising. (20gms m2)
- 6 Brazen Posts are Hot Dipped Gal not a coating which is over 200gms m2 and the rails are over 60gm
- 7 Brazen also salt tests the welds to make sure they can withstand many hours of salt washing and the welders use splatter rubbers to stop weld splatter on the rails and posts which are hidden from gal paint and can eventually rust.
- 8 All Brazen panels have the Brazen logo on the caps of all the posts.



***If you have a farm and would like to make another income we are looking for dealers. Reach out if this is something you are interested in.***

**Next time you choose a Cattle Panel you need to ask yourself if a Cattle Panel is a Brazen Cattle Panel.**



## Head Catcher

- Ideal for use with two cattle panels and a sliding gate to create a budget chute
- Main frame made by 2" x 2" square tubing
- Diamond shaped design stops the animals head from lifting up and down when caught on the head catcher
- Goes with 16 GA Sheeting



	Length	Depth	Height	Weight
Head Catcher <b>CHB</b>	2'9"	9"	6'11"	257lb


## Hobby Chute

- Ideal for the hobby rancher
- Simple construction
- Portable
- Easy operating sliding gate
- Anti-Bruise oval rail panels

### Kit Includes:

- 1x Cattle Head Catcher
- 2x Cattle Panels
- 1x Cattle Sliding Gate

	Length	Depth	Height	Weight
Hobby Chute <b>CCH</b>	8'	2'9"	7'6"	573lb



## Sliding Cattle Gate

- Ideal for use with two cattle panels and a head catcher to create a budget chute
- Easy operation with roller sliding

	Length	Depth	Height	Weight
Sliding Cattle Gate <b>CGSS</b>	2'9"	8"	6'6"	173lb



STANDARD SLIDING GATE

*Suggestion for use:*  
 1x Sliding Gate  
 1x Head Catcher  
 2x Standard Panels









## Premium Full Squeeze Chute

- Sheeted head catcher & bottom side gates for operator and animal safety
- Auto lock rear sliding gate
- Innovative silent operation
- Walk through vet section
- Parallel squeeze
- 2x large access doors
- Neck inspection doors
- Front & rear head catcher operation
- Supplied in flat pack



		Length	Width	Height	Weight
Squeeze Chute	<b>CCPSFP</b>	11.91'	2.79'	7.87'	2359lb
Optional Roof	<b>RCL</b>	13.78'	14.04'		454lb

Ensure the Chute is bolted down if the roof is attached.



## Adjustable Ramp

- Fully adjustable height for trailer to truck loading
- Designed to suit all cattle pens
- Ramps available with detachable walkways on request
- Minimum height - 680mm  
Maximum height - 1270mm



**Optional Walkway Kit Available**



**STANDARD RAMP**



**Optional Walkway Kit With Safety Rail Available**



**PREMIUM RAMP**



		Length	Depth	Height	Weight
Standard Ramp	<b>CRFP</b>	10.76'	2.78'	11'	732lb
Premium Ramp	<b>CRPFP</b>	10.76'	2.78'	11'	853lb
Standard Ramp WPC	<b>CRTFPP</b>	10.76'	2.78'	11'	872lb
Premium Ramp WPC	<b>CRPTFFP</b>	10.76'	2.78'	11'	993lb
Walkway Kit With Safety Rail	<b>CRWK600F</b>	10.27'	2.17'	5.91'	223lb
Walkway Kit	<b>CRWK</b>	11.31'	1'		86lb
Cattle Ramp Mobile Kit	<b>CRKM</b>				



**Optional Mobile Kit Available**



## Premium Mobile Ramp

- Robust construction
- 1x3.6m mobile cattle ramp
- Ideal for moving around property
- Holds 12x portable cattle panels (not included)
- The premium door is WPC board which is a durable and long lasting material used to replace timber



**PANELS NOT INCLUDED WHEN ORDERING**



	Length	Depth	Height	Weight
Premium Mobile <b>CRPM</b>	17'6"	7'4"	8'9"	1534lb

## Standard Mobile Ramp

- 1x3.6m mobile cattle ramp
- Ideal for moving around property
- Not road registerable



	Length	Depth	Height	Weight
Standard Mobile <b>CRSM</b>	17'6"	7'4"	8'9"	877lb




# Differences Between Standard & Premium Cattle Ramps

## Standard Cattle Ramp:

Side Fence (left and right), Roof Frame, Front Support, Frame Structure is made of 50\*50 square tubes (green color)

## Premium Cattle Ramp:

Side Fence (left and right), Roof Frame, Front support, Frame Structure is made of 60\*60 square tubes (green color)



Due to these reasons, these two different ramps have the same outline dimensions, yet they have different weights.

The rest are the same for these two ramps.

Based on these reasons:


### 1. Cattle Walkway Inner Dimensions:

Both standard and premium cattle ramps have the same inner dimensions: 2'5"

### 2. Cattle Walkway Outer Dimensions:

Standard cattle ramp's cattle walkway outer dimension is 2'9"


Premium cattle ramp's cattle walkway outer dimension is 2'10"





## Cattle Grid/Cattle Grid Wings

- Animal Friendly
- Tested to 20 Ton per axle
- Designed with 5 bearers and 12 rails
- Removable wings - SOLD SEPARATELY



		Width	Length	Height	Weight
Cattle Grid	<b>CG3</b>	6'7"	11'6"	4'10"	904lb
Cattle Grid	<b>CG4</b>	6'7"	14'9"	4'10"	1129lb
Wings	<b>CGW</b>	2"	6'	4'	68lb

## 2 Way Cattle Alley Gate



		Length	Width	Height	Weight
2 Way Cattle Alley Gate	<b>CGR2W</b>	5'5"	5'5"	6'11"	381lb



## Bud Box Yard

- Designed to improve speed of stock flow



		Length	Width	Height	Weight
Bud Box	<b>CBBY-10</b>	20'8"	15'11"	10'	2030lb

## Cattle Scale



Cattle Scale	<b>CS</b>
--------------	-----------



## Cattle Panels 5 Rail


### Premium 5 Rail Panel

This strong heavy duty panel, is equipped with:

- 4.52" x 1.65"
- 2 SHS 2" x 2" posts
- 4 easy to connect lugs
- 2 holes for ground pins

All panels can be pre-ordered in Hot Dip Galvanized (HDG) after welding.

- Panels can be used for cattle and horses



Panel comes standard without the center strap & does not come installed.  
**12' PANEL WITH LOOP FEET STANDARD OVAL 5 RAILS, ROUND END POSTS, OPTIONAL CENTER BAR**



**PREMIUM OVAL 5 RAIL PANEL**

		Uprights	Rails	Length	Height	Weight
Premium 5 Rail Panel 6.0	<b>CPP6/5.11-5</b>	2"x2"	5	6'	6'	97lb
Premium 5 Rail Panel 8.0	<b>CPP8/5.11-5</b>	2"x2"	5	8'	6'	125lb
Premium 5 Rail Panel 10	<b>CPP10/5.11-5</b>	2"x2"	5	10'	6'	132lb
Premium 5 Rail Panel 12	<b>CPP12/5.11-5</b>	2"x2"	5	12'	6'	152lb
12' Panel with Loop Feet Standard 5 Rails	<b>CPLF12</b>	Round pipe 1 3/4"	5	12'	5'4"	94lb

		Rails	Length	Height	Weight
Standard 5 Rail Panel 6.0	<b>CPS6/5.2-5</b>	5	6'	5'2"	61lb
Standard 5 Rail Panel 8.0	<b>CPS8/5.2-5</b>	5	8'	5'2"	76lb
Standard 5 Rail Panel 10	<b>CPS10/5.2-5</b>	5	10'	5'2"	90lb
Standard 5 Rail Panel with Strap 12	<b>CPS12/5.2-5</b>	5	12'	5'2"	104lb



**STANDARD OVAL 5 RAIL PANEL, SQUARE END POSTS**



## Cattle Walk Way Gate Kit

Cattle Walk Way Gate Kit is designed to assist with maximum access to the cattle while they are in the alley, therefore giving you safe access above the cattle.



		Length	Width	Height	Weight
Cattle Walkway Gate Kit 6.0	<b>CRWW6FT</b>	5'8.5"	1"	1'7.3"	61lb
Cattle Walkway Gate Kit 8.0	<b>CRWW8FT</b>	7'8.5"	1"	1'7.3"	76lb
Cattle Walkway Gate Kit 10	<b>CRWW10FT</b>	9'8.5"	1"	1'7.3"	90lb
Cattle Walkway Gate Kit 12	<b>CRWW12FT</b>	11'8.5"	1"	1'7.3"	104lb

## Standard Cattle Panels 6 Rail

		Rails	Length	Height	Weight
Standard 6 Rail Panel 6.0	<b>CPS6/5.11-6</b>	6	6'	6'	71lb
Standard 6 Rail Panel 8.0	<b>CPS8/5.11-6</b>	6	8'	6'	88lb
Standard 6 Rail Panel 10	<b>CPS10/5.11-6</b>	6	10'	6'	106lb
Standard 6 Rail Panel 12	<b>CPS12/5.11-6</b>	6	12'	6'	124lb



## Premium Cattle Panels 6 Rail

		Rails	Length	Height	Weight
Premium 6 Rail Panel 6.0	<b>CPP6/5.11-6</b>	6	6'	6'	96lb
Premium 6 Rail Panel 8.0	<b>CPP8/5.11-6</b>	6	8'	6'	122lb
Premium 6 Rail Panel 10	<b>CPP10/5.11-6</b>	6	10'	6'	1148lb
Premium 6 Rail Panel 12	<b>CPP12/5.11-6</b>	6	12'	6'	174lb







## Sheeted Cattle Panel



		Length	Height	Weight
Sheeted Panel	CPPB8/5.11-5	8'	5'11"	155lb
Sheeted Panel	CPPB10/5.11-5	10'	5'11"	162lb
Sheeted Panel Full	CPPB12/5.11-5	12'	5'11"	190lb

## Standard Cattle Gate Split 2.1m



		Length	Depth	Height	Weight
Split 2.1m	CGSPL2.1	6.89'	0.16'	7.22'	150lb



## Sliding Cattle Gate

- Ideal for use with two cattle panels and a sliding gate to create a budget crush
- Easy operation with roller sliding

**Suggestion for use:**

- 1x Sliding Gate
- 1x Head Bale
- 2x Standard panels



PREMIUM SLIDE GATE



STANDARD SLIDE GATE



BLIND CATTLE SLIDE GATE

		Width	Depth	Height	Weight
Standard Slide Gate	CGSS	850(2.79')	220(0.7')	1970(6.46')	80kg(176lb)
Premium Slide Gate	CGPS	850(2.79')	220(0.7')	1970(6.46')	84kg(185lb)
Blind Cattle Slide Gate	CGSSB	850(2.79')	220(0.7')	1970(6.46')	

## 2 Way Sliding Cattle Gate

- This sliding gate can be operated from both sides or locked off for single side operation



		Width	Depth	Height	Weight
2 Way Sliding Gate	CG2WS	850(2.79')	370(1.21')	1970(6.46')	96kg(212lb)



## Cattle Alley Bow

- Assists with maintaining a sturdy alley



	Length	Depth	Height	Weight
Cattle Alley Bow <b>CRBS</b>	2'9"	2"	6'10"	40lb

## Double Alley Bow

- Assists with maintaining a sturdy alley
- Creates a safe work area



	Length	Depth	Height	Weight
Double Alley Bow <b>CRBD</b>	7'	2"	8'8"	66lb

## Adjustable Cattle Bow

- Reduces turning in the alley depending on size of animal
- Assists with maintaining a sturdy alley



	Length	Depth	Height	Weight
Adjustable Cattle Bow <b>CRBA</b>	2'9"	2"	6'10"	95lb



## 5 Rail Driveway Gates

- End posts are square 2 inches x 2 inches and 14 gauge
- Made from our premium oval rails 4½ inches x 2 inches and 16 gauge, each rail almost has a 5 inch face on them
- Total 5 rails and with vertical strengthening straps to ensure this gate will never bend or break, they all come with 4 long bolt through L hinges to carry the weight



		Length	Height	Rails	Weight
Driveway Gate 8.0	<b>DGP8/4.2-5</b>	8'	4'2"	5	119lb
Driveway Gate 10	<b>DGP10/4.2-5</b>	10'	4'2"	5	141lb
Driveway Gate 12	<b>DGP12/4.2-5</b>	12'	4'2"	5	167lb
Driveway Gate 14	<b>DGP14/4.2-5</b>	14'	4'2"	5	189lb
Driveway Gate 16	<b>DGP16/4.2-5</b>	16'	4'2"	5	210lb

## 6 Rail Driveway Gates



		Length	Height	Rails	Weight
Driveway Gate 8.0	<b>DGP8/5.1-6</b>	8'	5'1"	6	139lb
Driveway Gate 10	<b>DGP10/5.1-6</b>	10'	5'1"	6	165lb
Driveway Gate 12	<b>DGP12/5.1-6</b>	12'	5'1"	6	196lb
Driveway Gate 14	<b>DGP14/5.1-6</b>	14'	5'1"	6	220lb
Driveway Gate 16	<b>DGP16/5.1-6</b>	16'	5'1"	6	247lb



## Premium Heavy Duty 5 Rail Gate

- Frame made by 2.76" x 2" HDG tube at 14GA
- Inside post made by 2" x 2" HDG tube at 16GA
- 5 Rails made by 4.52" X 1.65" 16GA oval pregal tube
- Comes with slam lock and chain lock system
- Lugs provided for connect




ONLY THE 12' GATE COMES WITH DIAGONAL BRACE

		Length	Height	Weight
Premium 5 Rail Gate 6.0	<b>CGP6/10-5</b>	6'	10'	173lb
Premium 5 Rail Gate 8.0	<b>CGP8/10-5</b>	8'	10'	194lb
Premium 5 Rail Gate 12	<b>CGP12/10-5</b>	12'	10'	289lb

## Standard 5 Rail Gate

- Only 12' has diagonal brace



		Length	Height	Weight
Standard 5 Rail Gate 6.0	<b>CGS6/10-5</b>	6'	10'	154lb
Standard 5 Rail Gate 8.0	<b>CGS8/10-5</b>	8'	10'	170lb
Standard 5 Rail Gate 12	<b>CGS12/10-5</b>	12'	10'	247lb





## Man Panel Gate

- Designed for easy access between yards
- Fast exit from yards



		Rails	Length	Height	Weight
Premium Man Gate-5 Rail	<b>CGMP2.1-5</b>	5	7'4"	5'11"	118lb
Premium Man Gate-6 Rail	<b>CGMP2.1</b>	6	7'4"	5'11"	145lb

## Access Gate

- Ideal for use in workers alley, or access to yards
- Comes with both chain & slam latch
- Handy lugs for ground pinning



		Rails	Length	Height	Weight
Premium Access Gate - 4 rail	<b>CGP1.25-4</b>	4	4'1"	7'	99lb
Premium Access Gate - 5 rail	<b>CGP1.25-5</b>	5	4'6"	7'2"	118lb
Standard Access Gate - 6 rail	<b>CGAS1.25-6</b>	6	4'6"	7'2"	64lb



## 12' Combination Gate/Panel with Loop Feet


- 6' Panel and 6' Gate, Making 12' Wide
- Panel is 5'4" High, Gate is Adjustable 10ft Tall
- 2 Side Posts 1 3/4" Round Tubing
- 5 Rails Made by 2.4" x 1.2" Oval Tube



	Length	Panel Height	Gate Height	Weight
Combination Gate/Panel Loop Feet <b>CP/GLF12</b>	12'	5'4"	10'	139lb


## 12' Combo Stand 6 Rail Gate & Panel

- Frame made by 1 3/4 inch round tube with slot in top 12/5 inch round pipe
- 6 rails 2.76"x1.6" oval tube
- Slam lock and Chain lock provided
- Clete and pins are provided for connection



	Length	Panel Height	Gate Height	Weight
12' Combo Stand 6 Rail Gate & Panel <b>CP/GSA12/10-6</b>	12'	5'11"	10'	200lb

## 12' Combo Stand 5 Rail Gate & Panel



	Length	Panel Height	Gate Height	Weight
12' Combo Stand 5 Rail Gate & Panel <b>CP/GSA12/10-5</b>	12'	5'2"	10'	181lb



## Blind Sweep Yard

- The sweep yard allows the handler to push cattle into the race system with minimal risk to the handler
- Innovative braking system stops the cattle from pushing the gate back therefore protecting the operator
- The curved layout works with the natural behaviour of how cattle run and tend to circle back to where they came from
- Standard Slide Gate Available



### OFFSIDE SWEEP AVAILABLE

- When using an offside sweep yard and a standard chute, the sweep yard requires the walkway to allow operation from the outside in line with chute operation




		Width	Depth	Height	Weight
Blind	<b>CFYB</b>	20'8"	10'4"	7'2"	1371lb
Blind-Offside	<b>CFYBO</b>	20'8"	10'4"	7'2"	1371lb
Walkway Kits	<b>CFYBWK</b>				246lb



## Combo Panel & Gate

- These panels will pen in Cattle, Sheep and Goats
- 8 Rails 2.75"x1.57" Oval Rail
- 2 Post 1.97"x1.97" Posts



		Length	Height	Weight
Combo Panel	C/SPS12/6	12'	5'11"	154lb
Combo Gate	C/SGS8/10	8'	10'	216lb



## Sheep V 3 Way Draft

- Manufactured from Galvanized Steel
- Fully Sheeted
- The 'v' profile minimizes the chance of small stock turning around in the alley
- Alley has a fully sheeted outer arc (prevents legs and heads from getting out, and improves stock flow)
- Alley is made without overhead bracing this eliminates the danger of an operator getting his arm caught between the yard and beast



	Length	Depth	Height	Weight
Sheep V <b>SRAFP</b>	11'2"	1'9"	3'10"	485lb

## Sheep Alley Bow


	Width	Height	Weight
Sheep Alley Bow <b>SRBB</b>	2'2"	3'4"	24lb



## Premium Sheep Panels

- Manufactured from Galvanized Steel
- Wide top rail for operator comfort when leaning over or accessing yard to yard
- Lamb proof rail spacing
- Panels can be used in permanent or portable applications

	Length	Height	Weight
Premium Sheep Panel 2.0 <b>SPP2.0</b>	6'6"	3'7"	59lb
Premium Sheep Panel 3.0 <b>SPP3.0</b>	9'10"	3'7"	76lb








## Premium Sheep Gate

- Manufactured from Galvanized Steel



		Length	Height	Weight
Premium Sheep Gate 2.0	<b>SGP2.0</b>	6'6"	3'7"	110lb
Premium Sheep Gate 3.0	<b>SGP3.0</b>	9'10"	3'7"	130lb

## Sheep Slide Gate

- Manufactured from Galvanized Steel
- Sliding gates come supplied as conventional push in types, or as push out type




		Length	Height	Weight
Sheep Slide Gate	<b>SGS</b>	2'6"	3'9"	68lb



## Sheep Premium Drench Race Panel



- 6 rails 60/30 oval tubes
- 2 posts 40/40 square posts
- Top rail is demountable



		Length	Height
Sheep Premium Drench Race Panel 3.0m	<b>SPPD3.0</b>	9'10"	37"

## Sheep Marking Panel

- HPost: 40 x 40 x 1.7mm square tube
- Rails: 60 x 30 x 1.5mm oval tube
- Top 2 rails would drop down



		Length	Height
Sheep Marking Panel	<b>SPPM3.0</b>	9'10"	37"



## Budget Sheep Panel


- Frame OD 1.25 " pipe, Inside 6 rails made by 1" Round pipes
- Mid-plate welded on
- C lugs provided for connection on two ends



		Length	Height	Weight
Budget Sheep Panels	<b>SPB10/3.3-7</b>	9'9"	3'3"	54lb

## Budget Sheep Gate

- Overall Size: 9'4"
- Frame Pipe is 2" x 2" HDG US Pipe
- Inner Gate Frame is 1.26" OD x 16 GA
- Rails for inner gate are 0.98" OD pipes



		Length	Height	Weight
Budget Sheep Gate	<b>SGB10/3.3-7</b>	9'4"	3'3"	190lb

## Blind Sheep Panels

- Manufactured from Galvanised Steel
- Panels can be used in Permanent or Portable applications
- Handy lugs for ground pinning
- Wide top rail for operator comfort when leaning over or accessing yard to yard
- Lamb proof rail spacing
- Height is 3'7"



		Length	Height	Weight
Blind Sheep Panels 1.0	<b>SPPB1.0</b>	3'3"	3'7"	40lb
Blind Sheep Panels 2.0	<b>SPPB2.0</b>	6'7"	3'7"	73lb
Blind Sheep Panels 3.0	<b>SPPB3.0</b>	9'10"	3'7"	106lb



## Sheep Draft Gate



	Length	Height	Weight
Sheep Draft Gate <b>SGB1.0</b>	3'3"	3'10"	44lb

## Sheep Alley Gate



	Length	Height	Weight
Sheep Alley Gate <b>SGR</b>	2'2"	3'3"	42lb

## Sheep Premium Alley



	Length	Height	Weight
Sheep Premium Alley <b>SGPR</b>	2'2"	3'3"	46lb



## 2 Way Sheep Alley Gate



		Length	Width	Height	Weight
2 Way Sheep Alley Gate	<b>SG2W</b>	4'4"	4'	3'5"	244lb

## Standard Sheep Loading Ramp



Optional Walkway Kit Available



		Length	Width	Height	Weight
Standard Sheep Loading Ramp	<b>SLR</b>	10'6.7"	4'2"	10'2.5"	577lb
Walkway Kit	<b>SLRWK</b>	10'6.7"	4'2"	10'2.5"	652lb





## Pig Panel

		Length	Height	Weight
Pig Panel	<b>PP6.6-6</b>	6'6"	3'5"	57lb



## Pig Gate


		Length	Height	Weight
Pig Gate	<b>PG6.6-6</b>	6'6"	3'7"	109lb



## Goat Panel

- Outer frame made by OD1.26x0.05in pipe
- Inside 7 rail made by OD1x0.05in
- C Clug provided
- Mid-plate welded on


		Length	Height	Weight
Goat Panel 6.6	<b>GP2.0</b>	6.6'	4.1'	39lb
Goat Panel 9.10	<b>GP3.0</b>	9.8'	4.1'	55lb



## Goat Gate

- Frame's bottom rail made by 2x2x0.09in HDG tube
- Panel frame made by OD1.26x0.06in, 7 rail OD0.98x0.05in pipe
- Uprights 2x2x0.067in HDG tube
- C Clug provided
- Chain lock system provided

		Length	Height	Weight
Goat Gate 6.6	<b>GG2.0</b>	6.6'	4.4'	77lb
Goat Gate 9.10	<b>GG3.0</b>	9.8'	4.4'	99lb





## Double Horse Shelter

- Suitable shelter for animals, stock feed and machinery
- Providing shelter along with air flow for all conditions
- Lined with heavy duty marine ply to protect stock from injury
- Supplied in flat pack
- Anchor plates so you can bolt the shelter down
- Handy lugs on the front so you can attach a gate/s



## Single Horse Shelter

### CONFIGURATION OPTIONS:

1. Basic Design
2. With Mesh
3. With Mesh With Sheet
4. With Mesh With Steel Gate/Panel
5. With Sheet With Steel Gate/Panel
6. With Mesh With Sheet With Steel Gate/Panel
7. With Mesh With Plywood Panel & Gate
8. With Sheet With Plywood Panel & Gate
9. With Mesh With Sheet With Plywood Panel & Gate
10. Foot Pegs Are Optional



	Width	Depth	Height	Weight
3m Horse Shelter - Single <b>HS3/3</b>	9.84'	9.84'	8.79'	1025lb
4m Horse Shelter - Single <b>HS4/4</b>	13.1'	13.1'	8.79'	1484lb

Please check with us for other configuration item codes.



## Horse Stall

- Suitable shelters for animals, stock feed and machinery
- Providing shelter along with air flow for all conditions
- Supplied in flat pack, with modular function
- Handy lugs on the front so you can attach a gate/s.



		Width	Depth	Height	Weight
Horse Stall	HS12F	12'	12'	10'	1853lb

## Premium 4 Rail Panels

- Panels can be used for horses and cattle




		Rails	Length	Height	Weight
Premium 4 Rail Panel 6.0	CPP6/5.2-4	4	6'	5'2"	70lb
Premium 4 Rail Panel 8.0	CPP8/5.2-4	4	8'	5'2"	88lb
Premium 4 Rail Panel 10	CPP10/5.2-4	4	10'	5'2"	105lb
Premium 4 Rail Panel 12	CPP12/5.2-4	4	12'	5'2"	123lb




## Premium Heavy Duty 4 Rail Gate

		Length	Height	Weight
Premium 4 Rail Gate 6.0	<b>CGP6/10-4</b>	6'	10'	162lb
Premium 4 Rail Gate 8	<b>CGP8/10-4</b>	8'	10'	180lb
Premium 4 Rail Gate 12	<b>CGP12/10-4</b>	12'	10'	267lb



ONLY THE 12' GATE COMES WITH DIAGONAL BRACE

## Horse/Sheep Combo Panel and Gate



		Rails	Length	Height	Weight
Horse/Sheep Combo Panel	<b>CSPB2.1</b>	8	7'3"	5'11"	80lb
Horse/Sheep Combo Gate	<b>CSGBA</b>	8	7'3"	9'9"	146lb



## Standard Horse Panels

Round Yard Diameter Specifications (Approx.)

33ft	13 panels plus 1 gate = 14 Units
39ft	15 panels plus 1 gate = 16 Units
43ft	17 panels plus 1 gate = 18 Units
46ft	19 panels plus 1 gate = 20 Units
51ft	21 panels plus 1 gate = 22 Units
55ft	23 panels plus 1 gate = 24 Units
59ft	25 panels plus 1 gate = 26 Units
66ft	27 panels plus 1 gate = 28 Units



	Rails	Length	Height	Weight
Horse Panel HPS2.1	5	7'3"	5'5"	52lb

## Adjustable Top Horse Gate


- 5 rails made by 2.36"x1.18" pregal oval tube at 16GA
- 2 posts made by 1.57" x 1.57" pregal gal tube at 16GA
- Frame made by 2" x 2" hot dip gal tube at 14GA
- Cleat and pins provided for connecting , Chain lock provided



	Length	Height	Weight
Adjustable Top Horse Gate HGA	7'3"	9'9"	141lb

## Horse Float Panels

- Powder coated
- Ideal for temporary holding yards
- Portable light weight panels
- 2x panel pieces make a 6'6" x 6'6" holding pen



	Height	Width Folded	Width Flat	Weight
Horse Float Panel HFP2.0	4'1"	6'7"	13'2"	31lb





## Round Bale Feeders

- Holds 6 ft round bales
- Feeds up to 18 animals simultaneously
- 2 Piece construction makes it easy to relocate
- Hot dipped galvanized after welding



		Diameter	Height	Weight
Round Bale Feeder-Straight Bar	<b>FRS-US</b>	7'	4'3"	227lb
Round Bale Feeder-Angled Bar	<b>FRA-US</b>	7'	4'3"	205lb

## Square Bale Feeders

- Modular type, can be bolted into single/double ones
- Can fit one large square bale
- Feeds up to 22 animals simultaneously
- 4 Piece construction makes it easy to relocate
- Hot dipped galvanized after welding



		Width	Length	Height	Weight
Square Bale Feeder-Straight Bar	<b>FSS</b>	5'	9'	4'3"	353lb
Square Bale Feeder-Angled Bar	<b>FSA</b>	5'	9'	4'3"	353lb

## Line Feeders



		Width	Length	Height	Weight
Line Feeder 5.0	<b>FL-5</b>	5'	5'	4'3"	53lb
Line Feeder 9.0	<b>FL-9</b>	5'	9'	4'3"	91lb
Line Feeder 18	<b>FL-18</b>	5'	18'	4'3"	182lb



## Diagonal Feeder

- Holds large rectangle bales
- Keeps bales raised off the ground
- Manufactured from hot dipped galvanized pipe



		Width	Length	Height	Weight
Diagonal Feeder	<b>FD18</b>	5'	18'	4'3"	596lb

## Cradle Feeder



		Width	Depth	Height	Weight
Cradle Feeder	<b>FSC</b>	4'11"	9'6"	3'6"	282lb

## AU Round Hay Feeder



		Diameter	Height	Weight
AU Round Hay Feeder	<b>FR</b>	6'9.1"	3'5.3"	222lb



## Large Sheep Feeder



	Width	Depth	Height	Weight
Large Sheep Feeder LSF	5'4"	4'9"	2'7"	171lb

## Sheep UK Feeder

- Two corners bolted together and two corners connected with coupling bars
- Open bottom feeder with 38 (no) feed spaces
- 11.42" deep welded sheeted base to form skirting
- Supplied flat packed for ease of storage and delivery



	Width	Length	Height	Weight
Sheep UK Feeder SFUK	5'	9'	3'3"	209lb



## Round Bale Cradle Feeder

- Full 32nb pipe
- Holds 1x round bale



		Width	Depth	Height	Weight
Round Bale Cradle Feeder	FRC	5'5"	5'	4'	313lb

## Dual Hay Feeder

- Holds 2x round bales or 1x large



		Width	Depth	Height	Weight
Dual Hay Feeder	FSCS	9'5"	7'3"	3'9"	282lb

## Horse Hay Feeder



		Width	Length	Height	Weight
Horse Hay Feeder	FHH	5'5"	9'3"	4'5"	434lb



## Lick Feeder 5200L



	Length	Width	Height	Weight
Lick Feeder 5200L CLF52	9'7"	7'3.5"	5'2"	1145lb

## Sheep Hanging Feeder



	Length	Width	Height	Weight
Sheep Hanging Feeder SF008	1'10"	1'	1'6"	9lb

## Sheep Trolley Feeder

- Ideal to keep the weather off stock-feed
- Reduces waste
- Supplied with 4x10" wheels x 1" bore with rubber tyre with 2'7½" wide lid c/w protex fastening and lid catch
- Double sided 3"x 3" hay-rack



	Width	Depth	Height	Weight
Sheep Trolley Feeder FTS	4'2"	1'11"	2'3"	115lb





## Dog Kennel Raised

- Available in single and double in both standard and raised.
- Raised flooring composite boards with drainage gaps
- Sturdy Construction and design
- Providing great protection for your pets



### Materials

Frame 30x30x1.6mm galvanized tube

Mesh: 25x84mm with 3mm diameter hot dip gal

		Depth	Width	Height	Weight
Dog Kennel Single Raised	<b>DCSR</b>	7.6'	3.5'	5.5'	478lb
Dog Kennel Double Raised	<b>DCDR</b>	7.6'	6.9'	5.5'	802lb

## Dog Kennel Standard



STANDARD SINGLE



STANDARD DOUBLE

		Depth	Width	Height	Weight
Dog Kennel Single	<b>DCS</b>	12'	7.05'	6'	454lb
Dog Kennel Double	<b>DCD</b>	12'	7.87'	6'	613lb



# HOW TO RECOGNIZE YOU ARE BUYING BRAZEN GENUINE EQUIPMENT



**BRAZEN, OVER THE YEARS HAS BECOME A DOMINANT PLAYER IN THE LIVESTOCK EQUIPMENT INDUSTRY.**

- 1 We pride ourselves in having excellent galvanizing and even our upright posts are hot dipped galvanized on all our panels which is important as this is the part that touches the ground.
- 2 All the gauges/tube wall thickness of our rails and posts are exactly the thickness as stated in our specifications.
- 3 Our workers pride themselves in their welding and you will see the difference with our welding compared with our competitors.
- 4 All our equipment has the anti-rattle rubbers where the pins join the Equipment.
- 5 Our standard cattle panels are 36kg/79lbs in weight, the biggest deception with cheaper panels is the thin steel tube gauge which reflects in the weight of steel.
- 6 Some companies have cheap panels with only half a C clamp on one side to save on steel. When linked with other panels this is much weaker than the full C clamp. Beware of these inferior panels.

***"If it is not Genuine Brazen there is no Brazen Warranty"***



The factory manufacturing is controlled by Australians and so the quality control and the development are all looked after by Australians. Australia Livestock Equipment is known to be the most robust equipment throughout the world and a lot of Brazen equipment in used in the Northern Territory and the outback where buffalos and wild cattle and horses are penned and captured in Brazen Equipment.

We now have a lot of manufacturers starting to copy our equipment and trying to sell them as Brazen Equipment.


For you to recognize Genuine Brazen Equipment, you will see a logo on the cap on the top of the posts on our panels, you will see a Brazen sticker on the panels. A lot of our equipment will have the logo stamped in them.

***If you have a ranch and would like to make another income we are looking for dealers. Reach out if this is something you are interested in.***

**Do please keep buying Brazen Equipment and make sure it is genuine.**



# BE BRAZEN BUY BRAZEN





# BRAZZEN

LIVESTOCK EQUIPMENT

## Contact & Sales


---

### HEAD OFFICE

**Tel (435) 901-5404**

1145 South 800 East  
Suite 138  
Orem, UT 84097

[www.brazzen.com](http://www.brazzen.com)  
[cam@brazzen.com](mailto:cam@brazzen.com)



DESIGNED & TESTED BY  
RANCHERS WORLDWIDE