



# BRAZZEN

LIVESTOCK EQUIPMENT



## 2025

PRODUCT BOOKLET  
[www.brazzen.com](http://www.brazzen.com)





## Product Index

*The specifications are subject to change without prior notice.*

## Contact & Sales

### HEAD OFFICE

(435) 901-5404

cam@brazzen.com

1145 South 800 East  
Suite 138  
Orem, UT 84097

<b>Cattle</b>	<b>3-24</b>
Head Catcher _____	3
Hobby Chutes _____	3-4
Premium Full Squeeze Chute _____	5
Cattle Ramps _____	6-9
Maternity Pen _____	10
Cattle Grid _____	11
Cattle Anit-Backing Bar _____	11
Permanent Post _____	11
Bud Box Yard/Cattle Scale _____	12
Panels/Walkway Kit _____	13-15
Cattle Gates _____	15-20
Combo Gates/Panels _____	21
Alley Bows _____	22
Blind Sweep Yard _____	23
Combo Panel & Gate _____	24

<b>Sheep</b>	<b>25-31</b>
Sheep Handler _____	25
V 3 Way Draft _____	26
Alley Bow _____	26
Panels _____	26-28
Gates _____	28-30
Anti-Backing Wing/Permanent Post _____	31
Loading Ramp _____	31

<b>Pig</b>	<b>32</b>
Pig Panel & Gate _____	32

<b>Goat</b>	<b>33</b>
Goat Panel & Gate _____	33

<b>Horses</b>	<b>34-38</b>
Shelters _____	34-35
Panels & Gates _____	36-38

<b>Feeders</b>	<b>39-44</b>
Round Bale Feeders _____	39
Square Bale Feeders _____	39
Line Feeders _____	39
Diagonal Feeder _____	40
Cradle Feeder _____	40
AU Round Hay Feeder _____	40
Cradle Feeder _____	41
Dual Hay Feeder _____	41
Heavy Duty V Top Square Feeder _____	41
Sheep Feeders _____	42-44
Lick Feeder _____	44

<b>Dogs</b>	<b>45</b>
Dog Cages _____	45

**Why Do Cattle Panel Prices Vary Across the USA?**

# What You Need to Know Before You Buy!



## BRAZZEN: A LEADING FORCE IN THE LIVESTOCK EQUIPMENT INDUSTRY

- 1 Thicker Rails & Posts:** Brazen panels use 0.059in thick oval rails and 0.067in thick posts, ensuring durability.
- 2 Standard Weight:** Each panel weighs 79lb, providing solid, reliable support.
- 3 Superior Dimensions:** Brazen panels have 2.76x1.57in oval rails and 1.97x1.97in posts, compared to smaller, thinner options on the market.
- 4 Full C Cleats:** Panels feature full C cleats on both sides with rubber inserts to prevent rattling, unlike half-pin cleats used by competitors.



**BE BRAZZEN  
BUY BRAZZEN**

- 5 High-Quality Galvanization:** Brazen posts are hot-dipped galvanized with over 200gms/m<sup>2</sup>, and the rails have over 60gms/m<sup>2</sup>, significantly more than standard 20gms/m<sup>2</sup> coatings.
- 6 Salt-Tested Welds:** All welds undergo salt testing to ensure long-lasting durability.
- 7 Anti-Rust Measures:** Welders use splatter rubbers to prevent hidden rust-causing splatter on rails and posts.
- 8 Brazen Branding:** Every panel includes the Brazen logo on the caps of all posts for authenticity.

*Own a Farm? Create Additional Income as a Brazen Dealer.*

*Contact Us to Learn More!*

*P: (435) 901-5404 / E: [cam@brazen.com](mailto:cam@brazen.com)*




**NEXT TIME YOU CHOOSE A CATTLE PANEL, ASK YOURSELF: IS IT A BRAZZEN CATTLE PANEL?**



## HEAD CATCHER

- Ideal for use with two cattle panels and a sliding gate to create a budget chute
- Easy to operate ratchet system
- Head Catcher is 2.5 ft inside and 2.79 ft outside



• Optional Baulk Gate



		Width	Depth	Height	Weight
Head Catcher	<b>CHB</b>	2'9"	10"	6'11"	265lb
Baulk Gate	<b>CGBAULK</b>		3'3"	3'3"	46lb

## HOBBY CHUTE


- Ideal for the hobby rancher
- Simple construction
- Portable
- Easy operating sliding gate
- Anti-Bruise oval rail panels

### Kit Includes:

- 1x Cattle Head Catcher
- 2x Cattle Panels
- 1x Cattle Sliding Gate

### You can DIY the Hobby Crush according to your request:

- Sliding Gate Options: Standard, Premium, Blind
- Cattle Head CATCHER Options: CHB, CHBK (CHBK only works on chute with vet section)
- Side Option: Two sides panel, two sides panel gate, or one side panel with one side panel gate, with vet section or without



		Length	Depth	Height	Weight
Hobby Chute	<b>CCH</b>	8'	2'9"	7'6"	573lb



## HOBBY CHUTE WITH VET

### Kit includes:

- Standard Cattle Slide Gate 1xCGSS
- Standard Cattle Head Catcher 1xCHB
- Chute Side Panel 3.0m 1xCPC3.0
- Chute Side Panel Gate 3.0m 1xCPGC3.0



		Width	Depth	Height
Hobby Chute with Vet	<b>CCHV</b>	11'11"	5'2"	8'6"

## HOBBY CHUTE BLINDED WITH VET

### Kit includes:

- Standard Cattle Slide Gate 1xCGSS
- Cattle Head Catcher with Long Handle Kits 1xCHBK
- Chute Side Panel Blinded 3.0m 1xCPCB3.0
- Chute Side Panel Gate Blinded 3.0m 1xCPGCB3.0



		Width	Depth	Height
Hobby Chute Blinded with Vet	<b>CCHBV</b>	11'11"	5'2"	8'6"

## HOBBY CHUTE WITH SPLIT GATE

### Kit includes:

- Standard Cattle Slide Gate 1xCGSS
- Standard Cattle Head Catcher 1xCHB
- Standard Cattle Gate Split 2.1m 1xCGSPL2.1
- Standard Cattle Panel 2.1m 1xCPS2.1




		Width	Depth	Height
Hobby Chute with Split Gate		8'11"	5'2"	8'6"



## PREMIUM FULL SQUEEZE CHUTE

- Sheeted head catcher & bottom side gates for operator and animal safety
- Auto lock rear sliding gate
- Innovative silent operation
- Walk through vet section
- Parallel squeeze
- 2x large access doors
- Neck inspection doors
- Front & rear head catcher operation
- Supplied in flat pack



Ensure the Chute is bolted down if the roof is attached.

		Length	Width	Height	Weight
Squeeze Chute	CCPSFP	11'11"	2'9"	7'	2359lb
Optional Roof - Large	RCL	13'8"	13'11"		454lb
Optional Roof - Small	RCS	7'6"	12'4"		265lb



## ADJUSTABLE RAMP

- Fully adjustable height for trailer to truck loading
- Designed to suit all cattle pens
- Ramps available with detachable walkways on request
- Minimum height - 680mm  
Maximum height - 1270mm



**Optional Walkway Kit Available**



**STANDARD RAMP**



**Optional Walkway Kit With Safety Rail Available**



**STANDARD RAMP WITH MOBILE KIT**



**PREMIUM RAMP**

		Length	Depth	Height	Weight
Standard Ramp	CRFP	10.76'	2.78'	11'	732lb
Premium Ramp	CRFPF	10.76'	2.78'	11'	853lb
Standard Ramp WPC	CRTFFP	10.76'	2.78'	11'	872lb
Premium Ramp WPC	CRPTFFP	10.76'	2.78'	11'	993lb
Walkway Kit With Safety Rail	CRWK600F	10.27'	2.17'	5.91'	223lb
Walkway Kit	CRWK	11.31'	1'		86lb
Cattle Ramp Mobile Kit	CRKM				





## PREMIUM MOBILE RAMP

- Robust construction
- 1x3.6m mobile cattle ramp
- Ideal for moving around property
- Holds 12x portable cattle panels (not included)
- The premium door is WPC board which is a durable and long lasting material used to replace timber



PANELS NOT INCLUDED WHEN ORDERING



	Length	Depth	Height	Weight
Premium Mobile <b>CRPM</b>	17'6"	7'4"	8'9"	1534lb

## STANDARD MOBILE RAMP

- 1x3.6m mobile cattle ramp
- Ideal for moving around property
- Not road registerable




	Length	Depth	Height	Weight
Standard Mobile <b>CRSM</b>	17'6"	7'4"	8'9"	877lb





## HEAVY DUTY CATTLE RAMP

- Heavy-duty steel construction ensures it can handle even the toughest outdoor conditions
- Overall size: 17 feet 7 inch L x 10 feet 9 inch H
- 11 feet ramp with a 6 feet 7 inch level extension for easy loading
- 3 feet 11 inches fixed loading height
- 2 feet 11 inches anti-slip walkway with a safety rail
- 2 access gates on the top to shut off the truck and/or ramp
- Detachable side walkway that can be placed on the left or right side
- Rubber contact points added to protect your ramp and truck



		Length	Depth	Height	Weight
Heavy Duty Cattle Ramp	CRHWK	17'7"	6'	10'9"	1847lbs


## Differences Between Standard & Premium Cattle Ramps

### Standard Cattle Ramp:

Side Fence (left and right), Roof Frame, Front Support, Frame Structure is made of 1.97 x 1.97 inch square tubes (green color)

### Premium Cattle Ramp:

Side Fence (left and right), Roof Frame, Front support, Frame Structure is made of 2.36 x 2.36 inch square tubes (green color)



Due to these reasons, these two different ramps have the same outline dimensions, yet they have different weights.

The rest are the same for these two ramps.

Based on these reasons:


#### 1. Cattle Walkway Inner Dimensions:

Both standard and premium cattle ramps have the same inner dimensions: 2'5"

#### 2. Cattle Walkway Outer Dimensions:

Standard cattle ramp's cattle walkway outer dimension is 2'9"

Premium cattle ramp's cattle walkway






**MATERNITY PEN**




	Length	Width	Height	Weight
Maternity Pen CPM	13'7"	12'2"	7'7"	1350lb





## CATTLE GRID/CATTLE GRID WINGS

- Animal Friendly
- Tested to 20 Ton per axle
- Designed with 5 bearers and 12 rails
- Removable wings - SOLD SEPARATELY



		Width	Depth	Height	Weight
Cattle Grid	<b>CG3</b>	9.84'	6.56'	0.98'	763lb
Cattle Grid	<b>CG4</b>	13.12'	6.56'	0.98'	1000lb
Wings	<b>CGW</b>	6.89'		4.1'	80lb

## CATTLE ANTI-BACKING BAR



		Length	Height	Weight
Cattle Anti-Backing Bar	<b>CBAB</b>	3.76'	3.02'	53lb

## CATTLE PERMANENT POST



		Length	Width	Height	Weight
Cattle Permanent Post	<b>CPP-8.3</b>	2.56"	2.56"	8'6"	



## BUD BOX YARD

- Designed to improve speed of stock flow



	Length	Width	Height	Weight
Bud Box CBBY-10	20'8"	15'11"	10'	2030lb

## CATTLE SCALE



Cattle Scale	CS
--------------	----



## CATTLE PANELS 5 RAIL


### Premium 5 Rail Panel

This strong heavy duty panel, is equipped with:

- 4.52" x 1.65"
- 2 SHS 2" x 2" posts
- 4 easy to connect lugs
- 2 holes for ground pins

All panels can be pre-ordered in Hot Dip Galvanized (HDG) after welding.

- Panels can be used for cattle and horses



Panel comes standard without the center strap & does not come installed.  
**12' PANEL WITH LOOP FEET STANDARD OVAL 5 RAILS, ROUND END POSTS, OPTIONAL CENTER BAR**



**PREMIUM OVAL 5 RAIL PANEL**

		Uprights	Rails	Length	Height	Weight
Premium 5 Rail Panel 6.0	<b>CPP6/5.11-5</b>	2"x2"	5	6'	6'	97lb
Premium 5 Rail Panel 8.0	<b>CPP8/5.11-5</b>	2"x2"	5	8'	6'	125lb
Premium 5 Rail Panel 10	<b>CPP10/5.11-5</b>	2"x2"	5	10'	6'	132lb
Premium 5 Rail Panel 12	<b>CPP12/5.11-5</b>	2"x2"	5	12'	6'	152lb
12' Panel with Loop Feet Standard 5 Rails	<b>CPLF12</b>	Round pipe 1 3/4"	5	12'	5'4"	94lb



**STANDARD OVAL 5 RAIL PANEL, SQUARE END POSTS**

		Rails	Length	Height	Weight
Standard 5 Rail Panel 6.0	<b>CPS6/5.2-5</b>	5	6'	5'2"	61lb
Standard 5 Rail Panel 8.0	<b>CPS8/5.2-5</b>	5	8'	5'2"	76lb
Standard 5 Rail Panel 10	<b>CPS10/5.2-5</b>	5	10'	5'2"	90lb
Standard 5 Rail Panel with Strap 12	<b>CPS12/5.2-5</b>	5	12'	5'2"	104lb



## CATTLE WALK WAY GATE KIT

• Cattle Walk Way Gate Kit is designed to assist with maximum access to the cattle while they are in the alley, therefore giving you safe access above the cattle.

		Length	Width	Height	Weight
Cattle Walkway Gate Kit 6.0	<b>CRWW6FT</b>	5'8.5"	1"	1'7.3"	61lb
Cattle Walkway Gate Kit 8.0	<b>CRWW8FT</b>	7'8.5"	1"	1'7.3"	76lb
Cattle Walkway Gate Kit 10	<b>CRWW10FT</b>	9'8.5"	1"	1'7.3"	90lb
Cattle Walkway Gate Kit 12	<b>CRWW12FT</b>	11'8.5"	1"	1'7.3"	104lb



## STANDARD CATTLE PANELS 6 RAIL

		Rails	Length	Height	Weight
Standard 6 Rail Panel 6.0	<b>CPS6/5.11-6</b>	6	6'	6'	71lb
Standard 6 Rail Panel 8.0	<b>CPS8/5.11-6</b>	6	8'	6'	88lb
Standard 6 Rail Panel 10	<b>CPS10/5.11-6</b>	6	10'	6'	106lb
Standard 6 Rail Panel 12	<b>CPS12/5.11-6</b>	6	12'	6'	124lb



## PREMIUM CATTLE PANELS 6 RAIL

		Rails	Length	Height	Weight
Premium 6 Rail Panel 6.0	<b>CPP6/5.11-6</b>	6	6'	6'	96lb
Premium 6 Rail Panel 8.0	<b>CPP8/5.11-6</b>	6	8'	6'	122lb
Premium 6 Rail Panel 10	<b>CPP10/5.11-6</b>	6	10'	6'	148lb
Premium 6 Rail Panel 12	<b>CPP12/5.11-6</b>	6	12'	6'	174lb





## SHEETED CATTLE PANEL



		Length	Height	Weight
Sheeted Panel	CPPB8/5.11-5	8'	5'11"	155lb
Sheeted Panel	CPPB10/5.11-5	10'	5'11"	162lb
Sheeted Panel Full	CPPB12/5.11-5	12'	5'11"	190lb

## STANDARD CATTLE GATE SPLIT 2.1M



		Length	Depth	Height	Weight
Split 2.1m	CGSPL2.1	6.89'	0.16'	7.22'	150lb





## SLIDING CATTLE GATE

- Ideal for use with two cattle panels and a sliding gate to create a budget chute
- Easy operation with roller sliding

**Suggestion for use:**

- 1x Sliding Gate
- 1x Head Bale
- 2x Standard panels



PREMIUM SLIDE GATE



STANDARD SLIDE GATE



BLIND CATTLE SLIDE GATE

		Width	Depth	Height	Weight
Standard Slide Gate	<b>CGSS</b>	2.79'	0.7'	6.46'	176lb
Premium Slide Gate	<b>CGPS</b>	2.79'	0.7'	6.46'	185lb
Blind Cattle Slide Gate	<b>CGSSB</b>	2.79'	0.7'	6.46'	264lb

## 2 WAY CATTLE ALLEY GATE



		Length	Width	Height	Weight
2 Way Cattle Alley Gate	<b>CGR2W</b>	5'5"	5'5"	6'11"	381lb




## 2 WAY SLIDING CATTLE GATE

- This sliding gate can be operated from both sides or locked off for single side operation



	Width	Depth	Height	Weight
2 Way Sliding Gate <b>CG2WS</b>	2.79'	1.21'	6.46'	212lb

## MESH DRIVEWAY GATES



	Length	Height	Rails	Weight
Mesh Driveway Gate 8.0 <b>DGBM8/4.5-5</b>	8'	4.5'	5	
Mesh Driveway Gate 10 <b>DGBM10/4.5-5</b>	10'	4.5'	5	93lb
Mesh Driveway Gate 12 <b>DGBM12/4.5-5</b>	12'	4.5'	5	106lb
Mesh Driveway Gate 14 <b>DGBM14/4.5-5</b>	14'	4.5'	5	
Mesh Driveway Gate 16 <b>DGBM16/4.5-5</b>	16'	4.5'	5	



## 5 RAIL DRIVEWAY GATES

- End posts are square 2 inches x 2 inches and 14 gauge
- Made from our premium oval rails 4½ inches x 2 inches and 16 gauge, each rail almost has a 5 inch face on them
- Total 5 rails and with vertical strengthening post/tube to ensure this gate will never bend or break, they all come with 4 long bolt through L hinges to carry the weight





		Length	Height	Rails	Weight
Driveway Gate 8.0	DGP8/4.2-5	8'	4'2"	5	119lb
Driveway Gate 10	DGP10/4.2-5	10'	4'2"	5	141lb
Driveway Gate 12	DGP12/4.2-5	12'	4'2"	5	167lb
Driveway Gate 14	DGP14/4.2-5	14'	4'2"	5	189lb
Driveway Gate 16	DGP16/4.2-5	16'	4'2"	5	210lb

## 6 RAIL DRIVEWAY GATES

This cowboy latch is made for all you cowboys out there. Mount it on the gate and you won't even have to get out of the saddle to open it.

Heavy-duty steel construction  
It could be used on Brazen standard, premium driveway gates and mesh driveway gates.  
58 in. long handle




		Length	Height	Rails	Weight
Driveway Gate 8.0	DGP8/5.1-6	8'	5'1"	6	139lb
Driveway Gate 10	DGP10/5.1-6	10'	5'1"	6	165lb
Driveway Gate 12	DGP12/5.1-6	12'	5'1"	6	196lb
Driveway Gate 14	DGP14/5.1-6	14'	5'1"	6	220lb
Driveway Gate 16	DGP16/5.1-6	16'	5'1"	6	247lb

Cowboy Latch Kit **LK**



## PREMIUM HEAVY DUTY 5 RAIL GATE

- Frame made by 2.76" x 2" HDG tube at 14GA
- Inside post made by 2" x 2" HDG tube at 16GA
- 5 Rails made by 4.52" X 1.65" 16GA oval pregal tube
- Comes with slam lock and chain lock system
- Lugs provided for connect




ONLY THE 12' GATE COMES WITH DIAGONAL BRACE

		Length	Height	Weight
Premium 5 Rail Gate 6.0	CGP6/10-5	6'	10'	173lb
Premium 5 Rail Gate 8.0	CGP8/10-5	8'	10'	194lb
Premium 5 Rail Gate 12	CGP12/10-5	12'	10'	289lb

## STANDARD 5 RAIL GATE

- Only 12' has diagonal brace



		Length	Height	Weight
Standard 5 Rail Gate 6.0	CGS6/10-5	6'	10'	154lb
Standard 5 Rail Gate 8.0	CGS8/10-5	8'	10'	170lb
Standard 5 Rail Gate 12	CGS12/10-5	12'	10'	247lb



## MAN PANEL GATE

- Designed for easy access between yards
- Fast exit from yards



		Rails	Length	Height	Weight
Premium Man Gate-5 Rail	<b>CGMP2.1-5</b>	5	7'4"	5'11"	118lb
Premium Man Gate-6 Rail	<b>CGMP2.1</b>	6	7'4"	5'11"	145lb

## ACCESS GATE

- Ideal for use in workers alley, or access to yards
- Comes with both chain & slam latch
- Handy lugs for ground pinning



		Rails	Length	Height	Weight
Premium Access Gate - 4 rail	<b>CGP1.25-4</b>	4	4'1"	7'	99lb
Premium Access Gate - 5 rail	<b>CGP1.25-5</b>	5	4'6"	7'2"	118lb
Standard Access Gate - 6 rail	<b>CGAS1.25-6</b>	6	4'6"	7'2"	64lb





## 12' COMBINATION GATE/PANEL WITH LOOP FEET


- 6' Panel and 6' Gate, Making 12' Wide
- Panel is 5'4" High, Gate is Adjustable 10ft Tall
- 2 Side Posts 1 3/4" Round Tubing
- 5 Rails Made by 2.4" x 1.2" Oval Tube



		Length	Panel Height	Gate Height	Weight
Combination Gate/Panel Loop Feet	<b>CP/GLF12</b>	12'	5'4"	10'	139lb

## 12' COMBO STAND 6 RAIL GATE & PANEL

- Frame made by 1 3/4 inch round tube with slot in top 1 2/5 inch round pipe
- 6 rails 2.76"x1.6" oval tube
- Slam lock and Chain lock provided
- Clete and pins are provided for connection



		Length	Panel Height	Gate Height	Weight
12' Combo Stand 6 Rail Gate & Panel	<b>CP/GSA12/10-6</b>	12'	5'11"	10'	200lb

## 12' COMBO STAND 5 RAIL GATE & PANEL



		Length	Panel Height	Gate Height	Weight
12' Combo Stand 5 Rail Gate & Panel	<b>CP/GSA12/10-5</b>	12'	5'2"	10'	181lb



## CATTLE ALLEY BOW

- Assists with maintaining a sturdy alley

	Length	Depth	Height	Weight
Cattle Alley Bow <b>CRBS</b>	2'9"	2"	6'10"	40lb



## DOUBLE ALLEY BOW

- Assists with maintaining a sturdy alley
- Creates a safe work area

	Length	Depth	Height	Weight
Double Alley Bow <b>CRBD</b>	7'	2"	8'8"	66lb



## ADJUSTABLE CATTLE BOW

- Reduces turning in the alley depending on size of animal
- Assists with maintaining a sturdy alley

	Length	Depth	Height	Weight
Adjustable Cattle Bow <b>CRBA</b>	2'9"	2"	6'10"	95lb





## BLIND SWEEP YARD

- The sweep yard allows the handler to push cattle into the race system with minimal risk to the handler
- Innovative braking system stops the cattle from pushing the gate back therefore protecting the operator
- The curved layout works with the natural behavior of how cattle run and tend to circle back to where they came from
- Standard Slide Gate Available



## CLOCKWISE SWEEP AVAILABLE

- When using an clockwise sweep yard and a standard chute, the sweep yard requires the walkway to allow operation from the outside in line with chute operation




		Width	Depth	Height	Weight
Blind - Counter Clockwise	<b>CFYB</b>	20'8"	10'4"	7'2"	1371lb
Blind - Clockwise	<b>CFYBO</b>	20'8"	10'4"	7'2"	1371lb
Walkway Kits	<b>CFYBWK</b>				246lb
90 - Counter Clockwise	<b>CFYB90</b>	10'8"	10'8"	7'9"	1085lb
90 - Clockwise	<b>CFYBO90</b>	10'8"	10'8"	7'9"	1085lb





## COMBO PANEL & GATE


- These panels will pen in Cattle, Sheep and Goats
- 8 Rails 2.75"x1.57" Oval Rail
- 2 Post 1.97"x1.97" Posts



		Length	Height	Weight
Combo Panel	<b>C/SPS12/6</b>	12'	5'11"	154lb
Combo Gate	<b>C/SGS8/10</b>	8'	10'	216lb



## SHEEP HANDLER



- Designed to Improve the efficiency of managing your sheep or goats
- Comes with 4 adjustment gears, to accommodate all stock sizes
- Comes with slide gate front and back
- Easy to tip sheep/goat up at a safe working height and do handling work
- Supplied in Flat Pack



	Length	Width	Height	Weight
Sheep Marking Panel SGH	5'9"	3'11"	3'11"	313lb



## SHEEP V 3 WAY DRAFT

- Manufactured from Galvanized Steel
- Fully Sheeted
- The 'v' profile minimizes the chance of small stock turning around in the alley
- Alley has a fully sheeted outer arc (prevents legs and heads from getting out, and improves stock flow)
- Alley is made without overhead bracing this eliminates the danger of an operator getting his arm caught between the yard and beast



	Length	Depth	Height	Weight
Sheep V <b>SRAFP</b>	11'2"	1'9"	3'10"	485lb


## SHEEP ALLEY BOW

	Width	Height	Weight
Sheep Alley Bow <b>SRBB</b>	2'2"	3'4"	24lb



## PREMIUM SHEEP PANELS

- Manufactured from Galvanized Steel
- Wide top rail for operator comfort when leaning over or accessing yard to yard
- Lamb proof rail spacing
- Panels can be used in permanent or portable applications




	Length	Height	Weight
Premium Sheep Panel 2.0 <b>SPP2.0</b>	6'6"	3'7"	59lb
Premium Sheep Panel 3.0 <b>SPP3.0</b>	9'10"	3'7"	76lb



## SHEEP PREMIUM DRENCH RACE PANEL



- 6 rails 2.36x1.18 inch oval tubes
- 2 posts 1.57x1.57 inch square posts
- Top rail is demountable



	Length	Height
Sheep Premium Drench Race Panel 3.0m SPPD3.0	9'10"	3'7"

## SHEEP MARKING PANEL

- HPost: 40 x 40 x 1.7mm square tube
- Rails: 60 x 30 x 1.5mm oval tube
- Top 2 rails would drop down



	Length	Height
Sheep Marking Panel SPPM3.0	9'10"	3'7"



## BLIND SHEEP PANELS

- Manufactured from Galvanized Steel
- Panels can be used in Permanent or Portable applications
- Handy lugs for ground pinning
- Wide top rail for operator comfort when leaning over or accessing yard to yard
- Lamb proof rail spacing
- Height is 3'7"



		Length	Height	Weight
Blind Sheep Panels 1.0	<b>SPPB1.0</b>	3'3"	3'7"	40lb
Blind Sheep Panels 2.0	<b>SPPB2.0</b>	6'7"	3'7"	73lb
Blind Sheep Panels 3.0	<b>SPPB3.0</b>	9'10"	3'7"	106lb

## BUDGET SHEEP PANEL


- Frame OD 1.25" pipe, Inside 6 rails made by 1" Round pipes
- Mid-plate welded on
- C lugs provided for connection on two ends



		Length	Height	Weight
Budget Sheep Panels	<b>SPB10/3.3-7</b>	9'9"	3'3"	54lb

## BUDGET SHEEP GATE

- Overall Size: 9'4"
- Frame Pipe is 2" x 2" HDG US Pipe
- Inner Gate Frame is 1.26" OD x 16 GA
- Rails for inner gate are 0.98" OD pipes



		Length	Height	Weight
Budget Sheep Gate	<b>SGB10/3.3-7</b>	9'4"	3'3"	190lb



## SHEEP DRAFT GATE



	Length	Height	Weight
Sheep Draft Gate <b>SGB1.0</b>	3'3"	3'10"	44lb

## SHEEP ALLEY GATE



	Length	Height	Weight
Sheep Alley Gate <b>SGR</b>	2'2"	3'3"	42lb

## SHEEP PREMIUM ALLEY




	Length	Height	Weight
Sheep Premium Alley <b>SGPR</b>	2'2"	3'3"	46lb



## PREMIUM SHEEP GATE

- Manufactured from Galvanized Steel



		Length	Height	Weight
Premium Sheep Gate 2.0	<b>SGP2.0</b>	6'6"	3'7"	110lb
Premium Sheep Gate 3.0	<b>SGP3.0</b>	9'10"	3'7"	130lb

## SHEEP SLIDE GATE

- Manufactured from Galvanized Steel
- Sliding gates come supplied as conventional push in or as push out



		Length	Height	Weight
Sheep Slide Gate	<b>SGS</b>	2'6"	3'9"	68lb

## 2 WAY SHEEP ALLEY GATE



		Length	Width	Height	Weight
2 Way Sheep Alley Gate	<b>SG2W</b>	4'4"	4'	3'5"	244lb



## ANTI-BACKING WING



## SHEEP PERMANENT POST



	Height	Weight
Sheep Permanent Post <b>SPP</b>	6.18'	22lb

## STANDARD SHEEP LOADING RAMP



Optional Walkway Kit Available



		Length	Width	Height	Weight
Standard Sheep Loading Ramp	<b>SLR</b>	10'6.7"	4'2"	10'2.5"	577lb
Walkway Kit	<b>SLRWK</b>	10'6.7"	4'2"	10'2.5"	652lb





## PIG PANEL



	Length	Height	Weight
Pig Panel <b>PP6.6-6</b>	6'6"	3'5"	57lb

## PIG GATE



	Length	Height	Weight
Pig Gate <b>PG6.6-6</b>	6'6"	3'7"	109lb



## GOAT PANEL

- Outer frame made by OD1.26x0.05in pipe
- Inside 7 rail made by OD1x0.05in
- C Clug provided
- Mid-plate welded on



		Length	Height	Weight
Goat Panel 6.6	<b>GP2.0</b>	6.6'	4.1'	39lb
Goat Panel 9.10	<b>GP3.0</b>	9.8'	4.1'	55lb

## GOAT GATE

- Frame's bottom rail made by 2x2x0.09in HDG tube
- Panel frame made by OD1.26x0.06in,  
7 rail OD0.98x0.05in pipe
- Uprights 2x2x0.067in HDG tube
- C Clug provided
- Chain lock system provided



		Length	Height	Weight
Goat Gate 6.6	<b>GG2.0</b>	6.6'	4.4'	77lb
Goat Gate 9.10	<b>GG3.0</b>	9.8'	4.4'	99lb



## DOUBLE HORSE SHELTER

- Suitable shelter for animals, stock feed and machinery
- Providing shelter along with air flow for all conditions
- Lined with heavy duty marine ply to protect stock from injury
- Supplied in flat pack
- Anchor plates so you can bolt the shelter down
- Handy lugs on the front so you can attach a gate/s



## SINGLE HORSE SHELTER

### CONFIGURATION OPTIONS:

1. Basic Design
2. With Mesh
3. With Mesh With Sheet
4. With Mesh With Steel Gate/Panel
5. With Sheet With Steel Gate/Panel
6. With Mesh With Sheet With Steel Gate/Panel
7. With Mesh With Plywood Panel & Gate
8. With Sheet With Plywood Panel & Gate
9. With Mesh With Sheet With Plywood Panel & Gate
10. Foot Pegs Are Optional



		Width	Depth	Height	Weight
3m Horse Shelter - Single	<b>HS3/3</b>	9.84'	9.84'	8.79'	1025lb
4m Horse Shelter - Single	<b>HS4/4</b>	13.1'	13.1'	8.79'	1484lb

Please check with us for other configuration item codes.



## HORSE STALL

- Suitable shelters for animals, stock feed and machinery
- Providing shelter along with air flow for all conditions
- Supplied in flat pack, with modular function
- Handy lugs on the front so you can attach a gate/s.



		Width	Depth	Height	Weight
Horse Stall	HS12F	12'	12'	10'	1853lb



## PREMIUM 4 RAIL PANELS

- Panels can be used for horses and cattle



		Rails	Length	Height	Weight
Premium 4 Rail Panel 6.0	CPP6/5.2-4	4	6'	5'2"	70lb
Premium 4 Rail Panel 8.0	CPP8/5.2-4	4	8'	5'2"	88lb
Premium 4 Rail Panel 10	CPP10/5.2-4	4	10'	5'2"	105lb
Premium 4 Rail Panel 12	CPP12/5.2-4	4	12'	5'2"	123lb

## HORSE FLOAT PANELS

- Powder coated
- Ideal for temporary holding yards
- Portable light weight panels
- 2x panel pieces make a 6'6" x 6'6" holding pen



		Height	Width Folded	Width Flat	Weight
Horse Float Panel	HFP2.0	4'1"	6'7"	13'2"	31lb



## STANDARD HORSE PANELS

Round Yard Diameter Specifications (Approx.)

33ft	13 panels plus 1 gate = 14 Units
39ft	15 panels plus 1 gate = 16 Units
43ft	17 panels plus 1 gate = 18 Units
46ft	19 panels plus 1 gate = 20 Units
51ft	21 panels plus 1 gate = 22 Units
55ft	23 panels plus 1 gate = 24 Units
59ft	25 panels plus 1 gate = 26 Units
66ft	27 panels plus 1 gate = 28 Units



	Rails	Length	Height	Weight	
Horse Panel	HP2.1	5	7'3"	5'5"	52lb

## ADJUSTABLE TOP HORSE GATE


- 5 rails made by 2.36"x1.18" pregal oval tube at 16GA
- 2 posts made by 1.57" x 1.57" pregal gal tube at 16GA
- Frame made by 2" x 2" hot dip gal tube at 14GA
- Cleat and pins provided for connecting , Chain lock provided



	Length	Height	Weight	
Adjustable Top Horse Gate	HGA	7'3"	9'9"	141lb




## PREMIUM HEAVY DUTY 4 RAIL GATE



ONLY THE 12' GATE COMES WITH DIAGONAL BRACE

		Length	Height	Weight
Premium 4 Rail Gate 6.0	<b>CGP6/10-4</b>	6'	10'	162lb
Premium 4 Rail Gate 8	<b>CGP8/10-4</b>	8'	10'	180lb
Premium 4 Rail Gate 12	<b>CGP12/10-4</b>	12'	10'	267lb

## HORSE/SHEEP COMBO PANEL AND GATE



		Rails	Length	Height	Weight
Horse/Sheep Combo Panel	<b>CSPB2.1</b>	8	7'3"	5'11"	80lb
Horse/Sheep Combo Gate	<b>CSGBA</b>	8	7'3"	9'9"	146lb



## ROUND BALE FEEDERS

- Holds 6 ft round bales
- Feeds up to 18 animals simultaneously
- 2 Piece construction makes it easy to relocate
- Hot dipped galvanized after welding



		Diameter	Height	Weight
Round Bale Feeder-Straight Bar	<b>FRS-US</b>	7'	4'3"	227lb
Round Bale Feeder-Angled Bar	<b>FRA-US</b>	7'	4'3"	205lb

## SQUARE BALE FEEDERS

- Modular type, can be bolted into single/double ones
- Can fit one large square bale
- Feeds up to 22 animals simultaneously
- 4 Piece construction makes it easy to relocate
- Hot dipped galvanized after welding



		Width	Length	Height	Weight
Square Bale Feeder-Straight Bar	<b>FSS</b>	5'	9'	4'3"	353lb
Square Bale Feeder-Angled Bar	<b>FSA</b>	5'	9'	4'3"	353lb

## LINE FEEDERS



		Width	Length	Height	Weight
Line Feeder 5.0	<b>FL-5</b>	5'	5'	4'3"	53lb
Line Feeder 9.0	<b>FL-9</b>	5'	9'	4'3"	91lb
Line Feeder 18	<b>FL-18</b>	5'	18'	4'3"	182lb





## DIAGONAL FEEDER

- Holds large rectangle bales
- Keeps bales raised off the ground
- Manufactured from hot dipped galvanized pipe



	Width	Length	Height	Weight
Diagonal Feeder <b>FD18</b>	5'	18'	4'3"	596lb

## CRADLE FEEDER



	Width	Depth	Height	Weight
Cradle Feeder <b>FSC</b>	4'11"	9'6"	3'6"	282lb

## AU ROUND HAY FEEDER



	Diameter	Height	Weight
AU Round Hay Feeder <b>FR</b>	6'9.1"	3'5.3"	222lb



## ROUND BALE CRADLE FEEDER

- Full 32nb pipe
- Holds 1x round bale



	Width	Depth	Height	Weight
Round Bale Cradle Feeder <b>FRC</b>	5'5"	5'	4'	313lb

## DUAL HAY FEEDER

- Holds 2x round bales or 1x large



	Width	Depth	Height	Weight
Dual Hay Feeder <b>FSCS</b>	9'5"	7'3"	3'9"	282lb

## HEAVY DUTY V TOP SQUARE FEEDER



	Width	Length	Height	Weight
Heavy Duty V Top Square Feeder <b>FSVHDH</b>	5'5"	9'3"	4'5"	434lb



## LARGE SHEEP FEEDER



	Width	Depth	Height	Weight
Large Sheep Feeder LSF	5'4"	4'9"	2'7"	171lb

## SHEEP UK FEEDER

- Two corners bolted together and two corners connected with coupling bars
- Open bottom feeder
- 11.42" deep welded sheeted base to form skirting
- Supplied flat packed for ease of storage and delivery



	Width	Length	Height	Weight
Sheep UK Feeder SFUK	5'	9'	3'3"	209lb



## SHEEP HANGING FEEDER



	Length	Width	Height	Weight
Sheep Hanging Feeder SF008	1'10"	1'	1'6"	9lb

## SHEEP FEEDER WITH SKID

- Overall size: 2401L x 800D x 1200H
- 1200mm Height designed to assist any tractor job to lead hay easily
- Lip rolled to the outside means no feed build up, fresher feed and no mold.
- Formed so bunks can be set end-to-end or stacked for storage
- HDG rounded skid legs allow for easy movement in muddy conditions while providing lasting strength and reliability
- A distinctive design that helps to reduce hay wastage



	Length	Depth	Height	Weight
Sheep Feeder with Skid FSVT	7.77'	2.63'	3.94'	249lb



## SHEEP TROLLEY FEEDER

- Ideal to keep the weather off stock-feed
- Reduces waste
- Supplied with 4x10" wheels x 1" bore with rubber tire with 2'7½" wide lid c/w protex fastening and lid catch
- Double sided 3"x 3" hay-rack



		Width	Depth	Height	Weight
Sheep Trolley Feeder	FTS	4'2"	1'11"	2'3"	115lb

## LICK FEEDER 5200L

- Unique barrel design increases strength and does away with the need for internal supports
- Sizes available 800ltr, 2400ltr, 3200ltr, 4200ltr & 5200ltr
- Fully adjustable
- Full top hinge opening lid
- 3 viewing feed level indicators
- Robust galvanized construction with fork slots for easy moving



		Length	Width	Height	Weight
Lick Feeder 5200L	CLF52	9'7"	7'3.5"	5'2"	1145lb



## DOG KENNEL RAISED

- Available in single and double in both standard and raised
- Raised flooring composite boards with drainage gaps
- Sturdy Construction and design
- Providing great protection for your pets



**Materials**

Frame 30x30x1.6mm galvanized tube

Mesh: 25x84mm with 3mm diameter hot dip gal

		Depth	Width	Height	Weight
Dog Kennel Single Raised	<b>DCSR</b>	7.6'	3.5'	5.5'	370lb
Dog Kennel Double Raised	<b>DCDR</b>	7.6'	6.9'	5.5'	802lb

## DOG KENNEL STANDARD



STANDARD SINGLE



STANDARD DOUBLE

		Depth	Width	Height	Weight
Dog Kennel Single	<b>DCS</b>	12'	7.05'	6'	392lb
Dog Kennel Double	<b>DCD</b>	12'	7.87'	6'	613lb



# HOW TO RECOGNIZE YOU ARE BUYING BRAZEN GENUINE EQUIPMENT



**BRAZEN, OVER THE YEARS HAS BECOME A DOMINANT PLAYER IN THE LIVESTOCK EQUIPMENT INDUSTRY.**

- 1 We pride ourselves in having excellent galvanizing and even our upright posts are hot dipped galvanized on all our panels which is important as this is the part that touches the ground.
- 2 All the gauges/tube wall thickness of our rails and posts are exactly the thickness as stated in our specifications.
- 3 Our workers pride themselves in their welding and you will see the difference with our welding compared with our competitors.
- 4 All our equipment has the anti-rattle rubbers where the pins join the Equipment.
- 5 Our standard cattle panels are 36kg/79lbs in weight, the biggest deception with cheaper panels is the thin steel tube gauge which reflects in the weight of steel.
- 6 Some companies have cheap panels with only half a C clamp on one side to save on steel. When linked with other panels this is much weaker than the full C clamp. Beware of these inferior panels.

***"If it is not Genuine Brazen there is no Brazen Warranty"***



The factory manufacturing is controlled by Australians and so the quality control and the development are all looked after by Australians. Australia Livestock Equipment is known to be the most robust equipment throughout the world and a lot of Brazen equipment in used in the Northern Territory and the outback where buffalos and wild cattle and horses are penned and captured in Brazen Equipment.

We now have a lot of manufacturers starting to copy our equipment and trying to sell them as Brazen Equipment.

For you to recognize Genuine Brazen Equipment, you will see a logo on the cap on the top of the posts on our panels, you will see a Brazen sticker on the panels. A lot of our equipment will have the logo stamped in them.

***If you have a ranch and would like to make another income we are looking for dealers. Reach out if this is something you are interested in.***

**Do please keep buying Brazen Equipment and make sure it is genuine.**



# BE BRAZEN BUY BRAZEN



# BRAZZEN

LIVESTOCK EQUIPMENT

## Contact & Sales

---

### HEAD OFFICE

**Tel (435) 901-5404**

1145 South 800 East  
Suite 138  
Orem, UT 84097

[www.brazzen.com](http://www.brazzen.com)  
[cam@brazzen.com](mailto:cam@brazzen.com)



DESIGNED & TESTED BY  
RANCHERS WORLDWIDE